

## Andreas Klacker Chlorine Dioxide Protocols

MMS- Chlorine Dioxide + Citric Acid + (DMSO optional)

CD- ClO<sub>2</sub> Chlorine Dioxide 25% + equal amount of Hydrochloric Acid HCL 4% ( \* Always Dilute with Distilled Water)

CDS- Chlorine Dioxide Solution ( Gas into water) -can be used concentrated or diluted- neutral PH and does not bind to the water so when it comes in contact with the body it immediately bonds to FE<sub>3</sub> ( Iron) thus increasing oxygen to Acidic ( pathogen) environments. CDS can reach any small area of the body creating homeostasis and health by combusting pathogens and thus allowing macrophages to come clean up the remains. Like a pathogen grenade. It can differentiate between healthy and non healthy microbes based on their PH. Anything not 7.3 (venous blood) to 7.4 ( arterial oxygenated blood) gets attacked.

There are no documented cases of adverse side effects with CDS. With CD there is some GI upset and nausea. If that is experienced dial back the dose by half.

Remember with these protocols slower and lower doses create the best way to healing. Herxheimers are possible but uncommon if executed as directed.

### **How to make:** (48 hours to make)

Equal parts Chlorine Dioxide +HCL drop for drop in a 2oz shot glass

In a 25 Oz hinge glass mason jar put half filled with distilled water

Activate CL+HCL and quickly place into mason jar making sure water line is below the shot glass rim and seal tight- watch gas form

(\*\*\* NEVER INHALE THE GAS IT IS VERY HARMFUL TO THE LUNGS ONLY LIKE OZONE)

Put for 24 hours in a dark cold cupboard away from sunlight always

After 24 hours carefully take out the shot glass and put CD into a PET container or a mason jar in the fridge to use for disinfecting surfaces in the kitchen or such. Then it does not go to waste.

You will know the CL+HCL has done its job once it turns a caramel color.

Now save the CDS for your uses and Health protocols see below.

Friday, June 12, 2020

\*\*Repeat one more time keeping the yellow water in the 25 oz jar but add a new activated shot glass half HCL half CD place quickly back into the jar and store for 24 hours

After 48 hours you will have a gas solution of 3000ppm of CDS

Always remember to keep under 11C and away from sunlight and in PET or Glass Containers.

Never use DMSO (70%) with a plastic eye dropper. PE droppers only that don't degrade and contaminate the DMSO- remember it is a solvent and will break down anything it touches. Including Rubber gloves. Use polyethylene. Never use DMSO with anything you do not want delivered into your bloodstream such as perfumes, dyes, soaps, detergents, or chemicals of the like.

## **PROTOCOLS**

### **Protocol B            BASIC**

Similar to P 1000 by Jim Humble only using HCL instead of 50% Citric Acid. Due to Citribacter colonization possibility. Less is better slowly

8-12 Small doses a day of Activated Chlorine Dioxide

3 days- 6 drops in 1 Liter

4 days- 12 drops in 1 liter

7 days- 18 drops “

7 Days- 24 drops “

\*\*\*\* Always use diluted ALWAYS)

### **Protocol C- CDS**

Instead of using activated CD we use the CDS

10mL of CDS per 1 Liter of distilled water

8-12 takes in one day ( one shot every hour)

CDS has a short half life so more frequent smaller doses are better than one huge dose

### **Protocol D- Dermatological**

Direct spray onto skin or onto a gauze pack

Concentrated CDS in a dark spray bottle- spray directly onto affected area 1-2x day

or

Activated CD 25 drops/60mL distilled water

This protocol is useful for Acne, Psoriasis, Herpes, Atopic Dermatitis, STDs, Rashes, Ulcers, Bed Sores, Burns, Fungi, Athletes Foot, Ringworm, Wounds, Cysts and more.

### **Protocol E-Enema**

Never use DMSO in an enema because it can carry the toxins/parasites back into the bloodstream. Always try to lie on your right side as to penetrate the hepatic duct is easier due to our anatomy. This protocol is best for Auto Immune Illnesses and High Toxicity, Chemotherapy, Chronic and Terminal Illness. Do not use long term as it can cause long term diarrhea.

10 mL CDS per 1 liter body temperature water retained 3-5 min

Or

Activated CD 10 drops/60mL distilled water

\*add 1/8 liter of sea water to remineralize the patient ( can be made with pure sea salt with no additives Real Salt or Celtic Salt or Himalayan)

### **Protocol G- Cupping Gas**

This method cups the gas around the affected area. Ear, subcutaneous wound or body sauna bag. Never eyes, nose or mouth.

6-8 Drops of activated CD in a glass and cup the ear for 3-5 minutes ( avoid irritation going more than that)

Repeat every hour if necessary

This protocol is best for ear problems.

Sauna bag - 30 drops of CD- naked and bag your body neck down. 20 minutes for no more than 3 times a day.

### **Protocol K- D+ DMSO**

This protocol is protocol D for dermatological but adding DMSO 70% to skin area FIRST. Then spray directly CDS. This will penetrate the bloodstream.

Or

Activated CD 25 drops per 60mL distilled water.

Never use rubber gloves they will contaminate the area.

Every other day is recommended and not more due to skin dryness. Please use olive oil or coconut oil to moisturize afterward.

\*\*\* ALWAYS do to skin patch test 2 hours prior with DMSO to check for allergy. Very rare but possible.

Never use DMSO with a plastic dropper. Polyethylene only and in glass is best or PET container.

### **Protocol L- Bath**

This protocol is best for ulcers, sores, auto immune, chemotherapy, terminal illnesses, and highly toxic build up.

Friday, June 12, 2020

This protocol uses Osmosis to push the CD into the skin, our largest organ, from a salt solution into the cells. This is a detox and best done at night time.

Make sure the tub is free of all chemicals, soaps, dyes, fragrances and toxins. Also make sure the room is well ventilated due to lung sensitivity.

Add 2-4kg sea salt ( no additives, preservatives or iodized) Pure celtic, real salt or pink Himalayan salt only

30-60 drops of Activated CD

20-30 min soak head and hair included.

Add Hot water again half way through to dilate pores and enhance the activity.

### **Protocol P- Parasites**

Very complex protocol that uses pharmaceuticals. I do not feel that this protocol is the best method for cleansing parasites. I prefer Clarkia, liver cleanses, gum spirits and other methods from nature. This protocol is a detox as well using castor oil and aloe for motility of the GI tract every third day for 90 days.

The drugs are pirantel pamoate 10mg/kg every 3 day. Day 1

Diatomaceous earth 2x/D + Enema on day 2

Mebendazole 100mg BID plus castor oil and aloe vera gel orally.

This protocol is repeated days 1-2-3 on a rotation. I do not feel this is the best method. If you would like the exact protocol doses and 3 month chart DM me. It is long.

### **Protocol R- Rectal**

Rectal bulb needed or enema bag

CDS 6mL/150m mL warm water

Retain 3-5 min

Best for Prostate Issues, Anal Fissures, Hemorrhoids, Pylops, Fistulas, Cystitis and more.

Prostate issues is number one for this protocol

**Protocol V- Vaginal**

Vaginal Irrigation- Never put air in the vagina, never use if pregnant or had surgery - wait 40 days.

Best for Candida, Cystitis, Endometriosis, Papilloma, Bacterial or Fungal infections, STDs

-CDS 6ml/500ml water administer lying supine in the bathtub

Or

-CD 6 activated drops per /500ml water

Retain 3-5 min

**Protocol O- Ophthalmological/Nasal**

20 ml Saline Solution

1-2ml CDS

1ml DMSO ( 3 days shelf life)

Use 5 drops every 2 hours to affected eye/ear.

**PRECAUTIONS**

**Avoid using with other Antioxidants and Vitamin C**

**Maximum concentration is 30ml/L- never to exceed 80ml concentration CDS 3000ppm per day.**

**Always take an hour window before and after medications**

**Never expose to sunlight**

**Never mix with DMSO unless it is to be used immediately for D/K or within 3 days  
Protocol O**

## **Protocol N- CHILDREN**

**The first step is to check compatibility, using activated drop CD or 1ml CDS 3000ppm dissolved in 100ml of water and let 1Hour pass observing the child to check that it fits.**

**Normally we use a maximum of 1 activated drop ( or 1ml of CDS at 3000ppm) every hour dissolved in 100ml of distilled water, for every 12kg of weight.**

**If fatigue, tummy ache or nausea occurs, reduce the dose.**

**Children under 1 year are not normally treated unless of force majeure.**

**The standard doses are:**

**5kg: 3 drops per day in 10 takes ( can be mixed with rice milk)**

**15kg: 6 drops per day in 10 takes**

**30kg: 8 drops a day in 10 doses**

**40kg: 12 drops a day in 10 equal doses.**

**\* we follow the usual recommendations, avoiding antioxidants and vitamin C.**

**\***

**\*\*\*\*\* MAXIMUM CONCENTRATION OF CDS**